

TLK 35 – Battery high-performance compressor

No pumping, no interruption, no exertion

500%
more Power***Spraying**

e-Profi 7

Foaming

e-Foam 7 E

Dusting

e-DR 5



The first who can do everything – and even faster



High-performance compressor TLK 35

We have added an e-Line to our range of manual compressionsprayers. In the e-Line, the manual hand pumpson all Birchmeier sprayers, foamers and powder duster are replaced by the powerful TLK 35 compressor. At the touch of a button, the entire contents of the tank can be dispensed without manual repumping. The pressure can be adjusted continuously between 0.5 and 3.5 bar and the CAS battery exchange system allows access to different battery capacities from 2.0 to 10.0 Ah.



Garden

Extremely comfortable to use and ideal for plant strengthening and plant protection. The device, with its large, stable base and integrated spray tube holder, ensures a secure stand.



e-Spray 7 P

Construction

The powerful battery compressor ensures a consistently high delivery rate, while the large, stable base with integrated spray pipe holder ensures secure footing and practical handling – even under demanding conditions.



e-Spray 7 P

Cleaning / Disinfection

Convenient and efficient cleaning thanks to the sprayer specially developed for use with acids or alkalis. The sprayer has a large, stable standard base with an integrated spray pipe holder for secure footing.



e-Clean 7 E

Foaming

With a 4.0 Ah battery pack, for example, at a working pressure of **3.5 bar**, an area of **300–600 m²** can be foamed with one battery charge.

Cleaning / Hygiene

The entire tank contents can be completely foamed without interruption, enabling large-area and time-saving cleaning. Different sprayers are available for different areas of application – optimised for handling both acids and alkalis. The sprayer has a large, stable base with an integrated foam holder, ensuring that it stands securely.



e-Foam 7 E

Dusting

With a 4.0 Ah battery pack, for example, dusting can be carried out for around **30 minutes** at a working pressure of **2.0 bar**, applying around **30 kg of powder** (10 fillings).

Pest control

The powerful compressor enables continuous and even powder application without the need for re-pumping during use.




e-DR 5

TLK 35 It is universally suitable for pressure storage devices with a high-performance compressor for spraying, foaming, and dusting, for professional gardening and industrial applications.

Performance data


Spraying	up to 200 min / 70 l	at 2.0 bar	18 V Li-Power / 2.0 Ah
Foaming	up to 300 – 600 m ²	at 3.5 bar	18 V Li-Power / 4.0 Ah
Dusting	up to 10 x 3 kg	at 2.0 bar	18 V Li-Power / 4.0 Ah

Spray period* TLK 35 (Spraying / e-Profi 7)



* pro battery pack charging

Spray output* TLK 35 (Spraying / e-Profi 7)



Suitable Birchmeier devices for TLK 35

Hobby Star 5, Astro 5, Clean-Matic 5 P, Foam-Matic 5 P, Garden Star 3 / 5, Rondo Matic 5, Clean-Matic 5 E, Foam-Matic 5 E, Profi Star 3 / 5, Rondo Matic 5 P, Spray-Matic 5 P / 7 P, Organic Star 5, Rondo Matic 5 E



Your Birchmeier distributor

Technical specifications

Operating pressure	7.3 – 50.7 psi	0.5 – 3.5 bar
Battery pack (with scope of delivery)	18 V - 2.0 Ah/4.0Ah	
Charging time	< 80 min	
Gaskets	FPM (Viton) / EPDM	
Permissible operating temperature	41– 86 °F	5 – 30 °C
Empty weight with battery	3.5 lbs	1.6 kg
Dimensions (H x W x L)	0.88 x 0.55 x 0.52 ft	270 x 165 x 160 mm
Sound pressure level	L _{pA} = 73 dB(A) ¹	
	L _{wA} = 85 dB(A) ²	

¹ISO 2151: 2009-01; $\pm K_{pA} = 1.6 \text{ dB(C)}$

²ISO 9614-2: 1996-12; $\pm K_{WA} = 2.2 \text{ dB(A)}$

Gerät	Battery Ah	Charger	Art.Nr.
e-Profi 7	2.0	SC 36	12194001
e-DR 5	4.0	ASC 55	12193401
e-Spray 7 P	2.0	SC 36	12186001
e-Clean 7 P	2.0	SC 36	12198001
e-Clean 7 E	2.0	SC 36	12199001
e-Foam 7 P	4.0	ASC 55	12196001
e-Foam 7 E	4.0	ASC 55	12197001

TLK 35 (without battery pack / without charger)		12185901	
TLK 35	2.0	SC 36	12193301
TLK 35	4.0	ASC 55	12195001

Battery pack 18 V Li-Power	2.0 Ah	12070301
Battery pack 18 V Li-Power	4.0 Ah	12071401
Battery pack 18 V Li-Power	5.2 Ah	12072501
Battery pack 18 V LiHD	8.0 Ah	12073601
Batterie pack 18 V LiHD	10.0 Ah	12100701
Quick charger ASC 55 (230 V)		12070101
Charger SC 36 (230 V)		12074501